Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Degreaser PW5
- CAS Number: 64742-49-0 • EC number:
- 920-750-0 Index number
- Index number: 649-328-00-1
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Solvent degreaser
- · Uses advised against

Food contact, additive.

Not for sale/use by public. Industrial uses only.

- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Hammond Chemicals Limited

Canal Street Brierley Hill West Midlands DY5 1JR

Tel.: 01384 480600 Fax.: 01384 480680

email: sales.office@hammondchemicals.co.uk

- · Further information obtainable from: Contact us at the above office.
- · 1.4 Emergency telephone number: Contact us as above (Not 24 hours)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS02

GHS07

GHS08

· Signal word Danger

· Hazard-determining components of labelling:

Hydrocarbons C7+, n-alkanes, isoalkanes, cyclics

Naphtha (petroleum), hydrotreated light

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P403+P235 Store in a well-ventilated place. Keep cool.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

64742-49-0 Hydrocarbons C7+, n-alkanes, isoalkanes, cyclics 70-100%

Naphtha (petroleum), hydrotreated light

- · Identification number(s) REACH Reg No. 01-2119475515-33-XXXX
- · EC number: 920-750-0
- · Index number: 649-328-00-1
- · SVHC Not listed as a SVHC at the date of this document

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. (Contd. on page 3)

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

Seek immediate medical advice.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing. Dispose of contaminated clothing.

Repeated skin contact may result in irritation and dermatitis. Always wear protective gloves suitable for this product.

· After eye contact:

Rinse opened eye for at least 15 minutes under clean running water. Remove contact lenses if possible. Seek immediate medical advice.

Continue to irrigate the eye with clean water.

Seek immediate medical advice.

- · After swallowing: Do NOT induce vomiting; rinse mouth with water, call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Information for doctor: Risk of lung aspiration due to low viscosity of product.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with aqueous film forming foam (AFFF). Cool containers with water spray.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Keep sources of ignition away - flammable solvents and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep people at a distance and stay on the windward side.

Keep away from ignition sources.

Wear protective clothing.

Blanket spillage with AFFF Foam to seal liquid/oygen barrier to help prevent (re)ignition.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

In case of seepage into the ground inform responsible authorities.

Ensure storage area for containers is fully bunded to contain min.110% of volume of largest container capacity in storage area.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

(Contd. of page 3)

Do not flush with water or aqueous cleansing agents

Send for recovery or disposal in suitable receptacles - may need to be UN approved.

Blanket spillage with AFFF Foam Spray to seal from sources of ignition as a precautionary measure.

Highly volatile liquid. Product will readily evaporate.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Take note of emission threshold.

Use only in well ventilated areas.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

· Information about fire - and explosion protection:

Keep ignition sources away - no naked sparks/flames/fires. Ensure electrical equipment is protected to correct Zone rating (DSEAR Assessed)

Protect against electrostatic charges. Where required - ensure bonding and earthing of containers and process equipment.

Static generation and accumulation may be increased when using fine filters, strainers, mixing with powders and immiscible liquids, high energy/speed mixers. Take extra precautions. Allow static relaxation time for charges to dissipate before next steps. Do not splash fill.

Do not spray onto a naked flame, hot surfaces, electrical switchgear, live/battery connected electrics, or near to any potential sources of ignition.

Flammable gas-air mixtures may form in empty receptacles.

Wear shoes with conductive soles.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide solvent resistant, sealed floor.

Prevent any seepage into the ground.

Provide ventilation for receptacles.

Use only receptacles specifically permitted for this substance/product.

Unsuitable material for receptacle: aluminium.

Store in area marked with EX signs under Dangerous Substances and Explosive Atmosphere Regs.

 $Follow\ HSE\ guidance\ for\ storage\ of\ flammable\ substances.$

Flameproof/explosion proof electrical equipment must be used (ATEX Regulations)

Only store in suitable bunded storage areas. Do not store plastic IBC's with metal drums of other flammable substances.

Unsuitable materials for packaging: Plastics, unless static protected.

· Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Store away from oxidising agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

You are recommended to refer to HSE publications HSG51 - The Storage of Flammable Liquids in Containers; and HSG140 - The Safe Use and Handling of Flammable Liquids, for more detailed understanding of the

(Contd. on page 5)

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

(Contd. of page 4)

practices to be adhered to.

Composite plastic IBC's risk sudden and total loss of product in event of fire. Ensure bunded areas are adequate. Do not store composite plastic IBC's with other packaged flammable goods.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Avoid alcohol consumption while working with the product.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A - For Organic vapours with boiling point $> 65 \deg C$

Filter AX - For Organic vapours with boiling point < 65 deg C - Single use/limited use filter

You should refer to the respirator/filter manufacturer for final guidance on the type of mask and filter to use.

· Protection of hands:



Protective gloves

Solvent resistant gloves. Use gloves approved to BS EN 374: Protective Gloves against Chemicals.

Chemical Resistant Gloves, class 4 or higher for prolonged exposure.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

 $Selection\ of\ the\ glove\ material\ on\ consideration\ of\ the\ penetration\ times,\ rates\ of\ diffusion\ and\ the\ degradation$

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles. EN166 Standard

· Body protection:

Protective work clothing

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

(Contd. of page 5)

Antistatic or conductive footwear to required EN standard.

· Risk management measures

Carry out risk assessment under Dangerous Substances and Explosive Atmospheres Regulations (DSEAR), COSHH.

SECTION 9: Physical and ch	iemical properties
9.1 Information on basic physical o	and chemical properties
General Information	
Appearance:	***
Form: Colour:	Liquid Colourless (Acad mucdust may darken denonding upon stone
Colour:	Colourless (Aged product may darken depending upon storage conditions and time period)
Odour:	Petrol-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	90 °C
Flash point:	<0 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	The LEL is the lowest concentration of vapour in air that will form
	flammable atmosphere.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	$0.690 - 0.720 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC (EC)	100.00 %

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

(Contd. of page 6)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications and industry good practice.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Sources of Ignition, (sparks, flames, static discharges, hot surfaces)
- · 10.5 Incompatible materials: Acids, strong oxidising agents, strong alkalis.
- · 10.6 Hazardous decomposition products: Carbon monoxide if incomplete combustion.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eve:

No irritating effect.

Persistent exposure may cause irritation. Not classed as an eye irritant.

· Sensitisation: No sensitising effects known.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

GB

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

(Contd. of page 7)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household refuse. Do not allow product to reach sewage system. Refer to the revised Waste Framework Directive (2008/98 EC) and the European Waste Catalogue (EWC). Substance is "hazardous" if it is classified as waste according to annexx III of rWFD, subject to thresholds. Refer to "WM2: Hazardous Waste: Interpretation of the definition and classification of hazardous waste", located on Environment Agency website.

· European waste catalogue

Refer to WM2 Hazardous Waste: Interpretation of the definition and classification of hazardous waste.

- · Uncleaned packaging:
- · Recommendation:

Waste Solvent Disposal must be made according to official regulations. Refer to Hazardous Waste Regulations 2005. Requires movement under Consignment note by licensed waste carrier. We can provide this service - please contact us for more details.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Please contact us if you wish to return your used packaging (205litre and IBC's only).

Containers to be scrapped as waste must be cleaned so that no hazardous substances remain, otherwise uncleaned containers containing residue for srap will need to be consigned as hazardous waste as per WM2 version 3 2014.

SECTION 14: Trans	port information
-------------------	------------------

· 14.1 UN-Number · ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name	
$\cdot ADR$	1263 PAINT RELATED MATERIAL, ENVIRONMENTALLY
	HAZARDOUS, special provision 640D
· IMDG, IATA	PAINT RELATED MATERIAL

II

- · 14.3 Transport hazard class(es)
- $\cdot ADR$



· Class	3 Flammable liquids.
· Class	5 Flammable Haulas.

· 14.4 Packing group

 $\cdot ADR$

· 14.5 Environmental hazards:

· Marine pollutant: No

· Special marking (ADR): Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Flammable liquids.

• EMS Number: F-E,S-E

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 9)

Printing date 27.05.2015 Version number 1 Revision: 27.05.2015

Trade name: Degreaser PW5

	(Contd. of page 8
· Transport/Additional information:	
$\cdot ADR$	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
• • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
· Tunnel restriction code	D/E
UN "Model Regulation":	UN1263, PAINT RELATED MATERIAL, special provision 640D, ENVIRONMENTALLY HAZARDOUS, 3, II

SECTION 15: Regulatory information

· Registration number

All substances used in this product have been registered under the REACH regulations. Refer to our office if you require registration numbers for individual substances.

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The Dangerous Substances and Explosive Atmoshere Regulations (DSEAR)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

The 'R' phrase listed below are for reference only and do not form the R phrases for the labelling or classification of the product. Refer to section 3 for this information.

· Training hints

Make users aware of the contents of this document and train according to use and risks within your operation.

- · Department issuing MSDS: Product safety department.
- · Contact: Sales Office in the first instance.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2