## **Safety Data Sheet**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date 23-Sep-2021 Version 57 Supercedes Date: 01-Sep-2021

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product code QG809991SG

Product name RAL 7040 WINDOW GREY POLY SATIN

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Paint, Coatings

#### 1.3. Details of the supplier of the safety data sheet

See section 16 for more information

The Valspar (Switzerland) Corporation AG European Headquarters Rosengartenstrasse 25

8608 Bubikon CH-SWITZERLAND Only Representative (OR) for imports only:

Valspar B.V. Zuiveringweg 89 8243 PE Lelystad The Netherlands

GPSReach@sherwin.com

Member Company of Sherwin Williams

For further information, please contact

E-mail address <a href="mailto:sdshelpdesk@valspareurope.com">sdshelpdesk@valspareurope.com</a>

## 1.4. Emergency telephone number

24 Hour Emergency Phone Number

24 Hour Linergency	Hone Humber			
International	<b>Austria</b>	<b>Belgium</b>	<b>Bulgaria</b>	<b>Croatia</b>
+1 703 741 5971	+(43)-13649237	+(32)-28083237	+(359)-32570104	+(385)-17776920
Czech Republic	<b>Denmark</b>	Estonia	Finland	France
+(420)-228880039	+(45)-69918573	+(372)-6681294	+(358)-942419014	+(33)-975181407
<b>Germany</b> 0800-181-7059	<b>Greece</b>	Hungary	Ireland	<b>Italy</b>
	+(30)-2111768478	+(36)-18088425	+(353)-19014670	800-789-767
<b>Latvia</b>	Lithuania	Luxembourg	Netherlands	<b>Norway</b>
+(371)-66165504	+(370)-52140238	+(352)-20202416	+(31)-858880596	+(47)-21930678
Poland	Portugal	Romania	<b>Slovakia</b>	<b>Slovenia</b>
+(48)-223988029	+(351)-308801773	(+40)-37-6300026	+(421)-233057972	+(386)-18888016
<b>Spain</b>	<b>Sweden</b>	Switzerland	United Kingdom	
900-868538	+(46)-852503403	+(41)- 435082011	+(44)-870-8200418	

#### Poison control centre phone number

Only for the purpose of informing medical personnel in cases of acute intoxication

Belgium	Denmark	France	Finland	Hungary
+32 70 245 245	+45 82 12 12 12	+33 (0) 1454 25959	+358 9 471977	+36-80-20-11-99
lceland +353 1 809 2166	Ireland +353 (0)1 809 2166 (8.00 - 22.00)	<b>Lithuania</b> +370 (85) 2362052	Netherlands +31 (0) 88-755 8000	<b>Norway</b> +47 22 59 13 00
<b>Portugal</b> +(351) 800 250 250	<b>Slovakia</b> +421 2 5477 4166	<b>Spain</b> +3415620420	Sweden +46 8 33 12 31 (M-F 9.00-17.00)	

#### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic Aquatic Toxicity Category 3 - (H412)

#### 2.2. Label Elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### **Hazard statements**

H412 - Harmful to aquatic life with long lasting effects

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

EUH210 - Safety data sheet available on request

## PRECAUTIONARY STATEMENTS - EU (§28, 1272/2008)

P202 - Do not handle until all safety precautions have been read and understood

P233 - Keep container tightly closed

P273 - Avoid release to the environment

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Chemical name	CAS No	Weight-%	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	Note:
Propanedioic acid, [[3,5-bis(1,1-dimethyleth yl)-4-hydroxyphenyl]met hyl]butyl-, bis(1,2,2,6,6-pentameth yl-4-piperidinyl) ester		0.1 - < 0.3	264-513-3	STOT RE 1 (H372) Acute Tox. 4 (H302) Aquatic Chronic 1 (H410)	01-2119978231-37	-

#### Full text of H- and EUH-phrases: see section 16

#### **Additional information**

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

## General Advice

Get medical advice/attention if you feel unwell

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

#### Skin contact

Rinse skin with water/shower

If skin irritation occurs: Get medical advice/attention

#### INHALATION

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

#### **INGESTION**

Do NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically

#### **Section 5: FIRE FIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray (fog) Carbon dioxide (CO2) Alcohol resistant foam Dry chemical

#### Not to be used for safety reasons:

Inert gas under high pressure (e.g. CO2), water jet ( Do not use if package is open or torn )

#### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke
Fire may produce irritating and/or toxic gases
In the event of fire and/or explosion do not breathe fumes

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit Cool containers with flooding quantities of water until well after fire is out Do not allow run-off from fire-fighting to enter drains or water courses

## **Section 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Remove all sources of ignition
Do not breathe dust
Use personal protective equipment as required

## For emergency responders

Use personal protection recommended in Section 8

## 6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water

If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations Prevent further leakage or spillage if safe to do so

Local authorities should be advised if significant spillages cannot be contained

## 6.3. Methods and material for containment and cleaning up

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so

## **Methods for Cleaning Up**

Dispose of waste product or used containers according to local regulations

Do not use a dry brush as dust clouds or static can be created

Dam up

Pick up and transfer to properly labelled containers

Clean contaminated surface thoroughly

Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

#### 6.4. Reference to other sections

See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information

## **Section 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Comply with the health and safety at work laws. Prevent product from entering drains. Use only with adequate ventilation.

#### **General hygiene considerations**

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorised personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

#### Incompatible materials

Strong bases, Strong oxidising agents, Strong acids

#### 7.3. Specific end use(s)

Recommended use Paint Coatings

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## **Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Czech Republic	Denmark	Estonia
Titanium dioxide 13463-67-7		STEL 10 mg/m³ alveolar dust, respirable fraction TWA: 5 mg/m³ alveolar dust, respirable fraction	TWA: 10 mg/m³	TWA: 10.0 mg/m³ respirable dust		TWA: 6 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Aluminum hydroxide (Al(OH)3) 21645-51-2		STEL 10 mg/m³ respirable fraction TWA: 5 mg/m³ respirable fraction		TWA: 10.0 mg/m³ dust TWA: 1.5 mg/m³ respirable fraction	TWA: 10.0 mg/m³ dust		

Chemical name   Finland   France   Germany   Greece   Hungary   Iceland   Ireland	Chemical name	Finland	France	Germany	Greece	Hungary	Iceland	Ireland
-----------------------------------------------------------------------------------	---------------	---------	--------	---------	--------	---------	---------	---------

Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>		TWA: 10 mg/m³ inhalable fraction TWA: 5 mg/m³ respirable fraction	Ceiling: 12 mg/m³ TWA: 6 mg/m³	TWA: 10 mg/m³ total inhalable dust TWA: 4 mg/m³ respirable dust STEL: 30 mg/m³ total inhalable dust
					STEL: 12 mg/m <sup>3</sup> respirable dust
Aluminum hydroxide (Al(OH)3) 21645-51-2		TWA: 4 mg/m³ dust, inhalable fraction TWA: 1.5 mg/m³ dust, respirable fraction			TWA: 10 mg/m³ total inhalable dust TWA: 4 mg/m³ respirable dust STEL: 30 mg/m³ total inhalable dust STEL: 12 mg/m³
					respirable

Chemical name	Italy	Latvia	Luxembourg	Netherlands	Norway	Poland	Portugal
Titanium dioxide		TWA: 10 mg/m <sup>3</sup>			TWA: 5 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7					STEL: 10 mg/m <sup>3</sup>	TWA: 10.0	-
						mg/m³ inhalable	
						fraction	
Aluminum hydroxide		TWA: 6 mg/m <sup>3</sup>				TWA: 2.5 mg/m <sup>3</sup>	
(Al(OH)3)						inhalable	
21645-51-2						fraction	
						TWA: 1.2 mg/m <sup>3</sup>	
						respirable	
						fraction	

Chemical name	Romania	Slovakia	Slovenia	Spain	Sweden	Switzerland	United Kingdom
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>			TWA: 10 mg/m <sup>3</sup>	TLV/LLV: 5	TWA: 3 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
13463-67-7	STEL: 15 mg/m <sup>3</sup>				mg/m³ total dust	respirable dust	total inhalable
							STEL: 12 mg/m <sup>3</sup>
							respirable
							TWA: 10 mg/m <sup>3</sup>
							total inhalable
							TWA: 4 mg/m <sup>3</sup>
							respirable
Aluminum hydroxide		TWA: 1.5 mg/m <sup>3</sup>				TWA: 3 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
(Al(OH)3)						respirable dust	inhalable dust
21645-51-2							STEL: 12 mg/m <sup>3</sup>
							respirable dust
							TWA: 10 mg/m <sup>3</sup>
							inhalable dust
							TWA: 4 mg/m <sup>3</sup>
							respirable dust

## 8.2. Exposure controls

## 8.2.1 Appropriate Engineering Controls

## **Engineering controls**

Ensure adequate ventilation, especially in confined areas

Provide local exhaust ventilation

In case of insufficient ventilation, wear suitable respiratory equipment

Do not breathe dust

## 8.2.2 Individual protection measures, such as personal protective equipment

## **Eye/Face Protection**

Wear safety glasses with side shields (or goggles)

#### **Skin and Body Protection**

Wear suitable protective clothing

Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder are avoided

#### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals

Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed

Gloves should be replaced regularly and if there is any sign of damage to the glove material

Always ensure that gloves are free from defects and that they are stored and used correctly

The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance

Break through time > 240 minutes Estimated

PPE - Glove material	Glove thickness
Neoprene™	> 0.56 mm
Butyl rubber	> 0.36 mm
Fluoroelastomer	> 0.51 mm
Nitrile rubber	> 0.56 mm
Natural rubber	> 0.48 mm
Polyvinyl chloride (PVC)	> 0.25 mm

#### **Respiratory Protection**

In case of inadequate ventilation wear respiratory protection

#### **Thermal Protection**

No information available

#### 8.2.3 Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water Local authorities should be advised if significant spillages cannot be contained

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Powder **Physical State** 

**Appearance** No information available

Odour Odourless

Colour No information available **Odour threshold** No information available No information available PH Melting point/freezing point No information available

No information available °C / °F Boiling point / boiling range

400 °C / 752 °F **Flash Point** 

Method

**Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability limit in air

**Upper flammability limit:** No information available Lower flammability limit No information available Vapour pressure No information available No information available **Vapour Density** 

Specific gravity 1.43

Solubility(ies) No information available Partition coefficient No information available No information available **Autoignition Temperature** No information available **Decomposition temperature** Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive Properties** No information available

Oxidising Properties No information available

9.2. Other information

Molecular Weight No information available Minimum ignition energy (MIE) 3 - 50 mJ (typical range)

**dust deflagration index (Kst)** 100 - 199 bar\*m/s (typical range)

Minimum Explosive Conc. (g/m³) 20 - 70 (typical range)

#### Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No information available

#### 10.2. Chemical stability

Stable under normal conditions

**Explosion Data** 

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation None under normal processing

Possibility of hazardous reactions 
None under normal processing

#### 10.4. Conditions to avoid

Heat, flames and sparks

## 10.5. Incompatible materials

Strong bases Strong oxidising agents Strong acids

#### 10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide (CO2)

## **Section 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

#### Information on Likely Routes of Exposure

Eye Contact

No information available

Skin contact

No information available

**INGESTION** 

No information available

**INHALATION** 

No information available

## Numerical Measures of Toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**UNKNOWN ACUTE TOXICITY** .0002% of the mixture consists of ingredient(s) of unknown toxicity.

#### Numerical Measures of Toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propanedioic acid,	= 1500 mg/kg (Rat)		
[[3,5-bis(1,1-dimethylethyl)-4-hydrox			
yphenyl]methyl]butyl-,			
bis(1,2,2,6,6-pentamethyl-4-piperidi			
nyl) ester			

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation No information available Serious eye damage/eye irritation No information available **Skin Sensitisation** No information available **Respiratory Sensitisation** No information available **Germ Cell Mutagenicity** No information available Carcinogenicity No information available Reproductive toxicity No information available Specific target organ toxicity (single exposure) No information available Specific target organ toxicity (repeated exposure) No information available

Propanedioic acid, [[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butyl-, bis(1,2,2,6,6-pentamethyl-4-piperidinyl)

ester

lymph system, Liver, Spleen

Aspiration Hazard Not applicable

## **Section 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

Environmental Precautions Prevent product from entering drains

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

No information available.

#### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

No information available.

## 12.6. Other adverse effects

No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

**Environmental Precautions** Prevent product from entering drains

Keep out of waterways

Waste from Residues/Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations

Improper disposal or reuse of this container may be dangerous and illegal **Contaminated Packaging** 

Empty containers must be scrapped or reconditioned

**European Waste Catalogue** 

**Product** 08 02 01 15 01 10\* **Packaging** 

## **Section 14: TRANSPORT INFORMATION**

**IMDG** RID ADR IATA ADN

NOT REGULATED NOT REGULATED NOT REGULATED NOT REGULATED NOT REGULATED 14.1 UN/ID no

14.2 Proper Shipping

Name

14.3 Hazard class 14.4 Packing group 14.5 Environmental hazard 14.6 Special Provisions

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC CODE

No information available

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112), Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO 3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

## **Section 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

**National Regulations** 

Germany Water hazard class

(WGK)

TA Luft (German Air Pollution Control Regulation)

Class 1 Class 2 Class 3 Class 4 0 % 0 % 0 % 0 %

31 . BlmSchV Danish MAL Code 00 - 1

#### 15.2. Chemical safety assessment

No information available

## **Section 16: OTHER INFORMATION**

**Supplier Address** 

Sherwin-Williams UK Limited – General Industrial Division Goodlass Road Liverpool, Merseyside L24 9HJ +44 (0) 151 486 0486 Inver S.p.A. Via di Corticella, 205 Bologna, BO, Italy 40128 39 051 6380411 Inver Polska SP.Z.O.O. UL. Metalowców 49 Debica 39-200 Poland +48 14 680 90 20 Inver France S.A.S. 2 Rue Jean Devaux Boîte Postale 88 Thouars 79102 Phone: +33 5 49 96 025 00

Inver S.p.A. 10/A Via Marconi Minerbio BO 40061 Phone: +39 051 660 6811

## Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Prepared by Product Stewardship

Revision Date 23-Sep-2021

**Revision note**No information available.

#### **Disclaimer**

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and EU guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**End of Safety Data Sheet**