Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date 20-Dec-2019 Version 40 Supercedes Date: 20-Sep-2018

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product code

Product name

RAL 9010 PURE WHITE POLY SATIN

1.2. Relevant identified uses of the substance or mixture and uses advised against

BR103767SG

Recommended use Paint, Coatings

1.3. Details of the supplier of the safety data sheet See section 16 for more

information The Valspar (Switzerland) Corporation AG European Headquarters

European Headquarters Rosengartenstrasse 25 8608 Bubikon CH-SWITZERLAND Only Representative (OR) for imports only: Valspar B.V. Zuiveringweg 89 8243 PE Lelystad The Netherlands GPSReach@sherwin.com Member Company of Sherwin Williams

For further information, please contact

E-mail address sdshelpdesk@valspareurope.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number

International	Austria	Belgium	Bulgaria	Croatia
+1 703 741 5971	+(43)-13649237	+(32)-28083237	+(359)-32570104	+(385)-17776920
Czech Republic	Denmark	Estonia	Finland	France
+(420)-228880039	+(45)-69918573	+(372)-6681294	+(358)-942419014	+(33)-975181407
Germany	Greece	Hungary	Ireland	Italy
0800-181-7059	+(30)-2111768478	+(36)-18088425	+(353)-19014670	800-789-767
Latvia	Lithuania	Luxembourg	Netherlands	Norway
+(371)-66165504	+(370)-52140238	+(352)-20202416	+(31)-858880596	+(47)-21930678
Poland	Portugal	Romania	Slovakia	Slovenia
+(48)-223988029	+(351)-308801773	(+40)-37-6300026	+(421)-233057972	+(386)-18888016
Spain	Sweden	Switzerland	United Kingdom	
900-868538	+(46)-852503403	+(41)- 435082011	+(44)-870-8200418	

Poison control centre phone number

Only for the purpose of informing medical personnel in cases of acute intoxication

Belgium	Denmark	France	Finland	Hungary
+32 70 245 245	+45 82 12 12 12	+33 (0) 1454 25959	+358 9 471977	+36-80-20-11-99
Iceland +353 1 809 2166	Ireland +353 (0)1 809 2166 (8.00 - 22.00)	Netherlands +31 30 274 8888	Norway +47 22 59 13 00	Portugal +35808 250 143
Slovakia +421 2 5477 4166	Spain +3415620420	Sweden +46 8 33 12 31 (M-F 9.00-17.00)		

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

PRECAUTIONARY STATEMENTS - EU (§28, 1272/2008)

P202 - Do not handle until all safety precautions have been read and understood
P233 - Keep container tightly closed
P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Full text of H- and EUH-phrases: see section 16

Additional information

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

Get medical advice/attention if you feel unwell

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Skin contact

Rinse skin with water/shower If skin irritation occurs: Get medical advice/attention

INHALATION

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

INGESTION

Do NOT induce vomiting IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors

Treat symptomatically

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog) Carbon dioxide (CO2) Alcohol resistant foam Dry chemical

Not to be used for safety reasons:

Inert gas under high pressure (e.g. CO2), water jet (Do not use if package is open or torn)

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke Fire may produce irritating and/or toxic gases In the event of fire and/or explosion do not breathe fumes

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit Cool containers with flooding quantities of water until well after fire is out Do not allow run-off from fire-fighting to enter drains or water courses

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition Do not breathe dust

For emergency responders

Use personal protection recommended in Section 8

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations

6.3. Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so

Methods for Cleaning Up

Dispose of waste product or used containers according to local regulations Do not use a dry brush as dust clouds or static can be created Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

6.4. Reference to other sections

See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal

protection recommended in Section 8. Comply with the health and safety at work laws. Prevent product from entering drains.

General hygiene considerations

Take off all contaminated clothing and wash it before re-use. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorised personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Incompatible materials

Strong oxidising agents, Alcohols, Amines

7.3. Specific end use(s)

Recommended use

Paint Coatings

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Czech Republic	Denmark	Estonia
Titanium dioxide 13463-67-7		STEL 10 mg/m ³ alveolar dust, respirable fraction TWA: 5 mg/m ³ alveolar dust, respirable fraction	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³ respirable dust		TWA: 6 mg/m ³	TWA: 5 mg/m ³
Aluminum hydroxide (Al(OH)3) 21645-51-2		STEL 10 mg/m ³ respirable fraction TWA: 5 mg/m ³ respirable fraction		TWA: 10.0 mg/m ³ dust TWA: 1.5 mg/m ³ respirable fraction	TWA: 10.0 mg/m³ dust		
Barium sulfate 7727-43-7			TWA: 10 mg/m ³	TWA: 10.0 mg/m ³			
Silica, amorphous 7631-86-9		TWA: 4 mg/m ³ inhalable fraction			TWA: 0.1 mg/m ³ respirable fraction TWA: 4.0 mg/m ³		TWA: 2 mg/m ³ respirable dust

Chemical name	Finland	France	Germany	Greece	Hungary	Iceland	Ireland
Titanium dioxide		TWA: 10 mg/m ³		TWA: 10 mg/m ³		Ceiling: 12	TWA: 10 mg/m ³
13463-67-7				inhalable		mg/m³	total inhalable
				fraction		TWA: 6 mg/m ³	dust
				TWA: 5 mg/m ³			TWA: 4 mg/m ³
				respirable			respirable dust
				fraction			STEL: 30 mg/m ³
							total inhalable
							dust
							STEL: 12 mg/m ³
							respirable dust
Aluminum hydroxide			TWA: 4 mg/m ³				TWA: 10 mg/m ³
(AI(OH)3)			dust, inhalable				total inhalable
21645-51-2			fraction				dust
			TWA: 1.5 mg/m ³				TWA: 4 mg/m ³
			dust, respirable				respirable dust
			fraction				STEL: 30 mg/m ³
							total inhalable
							dust
							STEL: 12 mg/m ³

			respirable dust
Barium sulfate 7727-43-7		TWA: 4 mg/m ³ inhalable fraction TWA: 1.5 mg/m ³ respirable fraction Ceiling / Peak: 2.4 mg/m ³ respirable fraction	TWA: 2 mg/m ³ respirable dust STEL: 6 mg/m ³ respirable dust
Silica, amorphous 7631-86-9	TWA: 5 mg/m ³	TWA: 4 mg/m ³ inhalable fraction	Ceiling: 4 mg/m ³ Ultrafine spray TWA: 2 mg/m ³ Ultrafine spray Ultrafine spray Ultrafine spray TWA: 2.4 mg/m ³ TWA: 2.4 mg/m ³ TEL: 18 mg/m ³ total inhalable dust STEL: 7.2 mg/m ³ respirable dust

Chemical name	Italy	Latvia	Luxembourg	Netherlands	Norway	Poland	Portugal
Titanium dioxide		TWA: 10 mg/m ³			TWA: 5 mg/m ³	STEL: 30 mg/m ³	TWA: 10 mg/m ³
13463-67-7		_			STEL: 10 mg/m ³	TWA: 10.0	-
					-	mg/m ³ inhalable	
						fraction	
Aluminum hydroxide		TWA: 6 mg/m ³				TWA: 2.5 mg/m ³	
(AI(OH)3)						inhalable	
21645-51-2						fraction	
						TWA: 1.2 mg/m ³	
						respirable	
						fraction	
Barium sulfate					TWA: 0.5 mg/m ³		TWA: 10 mg/m ³
7727-43-7					STEL: 1.5		
					mg/m ³		
Silica, amorphous		TWA: 1 mg/m ³			TWA: 1.5 mg/m ³		
7631-86-9					respirable dust		
					STEL: 1.5		
					mg/m ³ respirable		
					dust		

Chemical name	Romania	Slovakia	Slovenia	Spain	Sweden	Switzerland	United
							Kingdom
Titanium dioxide	TWA: 10 mg/m ³			TWA: 10 mg/m ³	TLV/LLV: 5	TWA: 3 mg/m ³	STEL: 30 mg/m ³
13463-67-7	STEL: 15 mg/m ³				mg/m ³ total dust	respirable dust	total inhalable
							STEL: 12 mg/m ³
							respirable
							TWA: 10 mg/m ³
							total inhalable
							TWA: 4 mg/m ³
							respirable
Aluminum hydroxide		TWA: 1.5 mg/m ³				TWA: 3 mg/m ³	STEL: 30 mg/m ³
(AI(OH)3)						respirable dust	inhalable dust
21645-51-2							STEL: 12 mg/m ³
							respirable dust
							TWA: 10 mg/m ³
							inhalable dust
							TWA: 4 mg/m ³
				TN/A 40 / 2			respirable dust
Barium sulfate		TWA: 1.5 mg/m ³		TWA: 10 mg/m ³			STEL: 30 mg/m ³
7727-43-7							inhalable dust
							STEL: 12 mg/m ³
							respirable dust
							TWA: 10 mg/m ³
							inhalable dust
							TWA: 4 mg/m ³
Cilico emernheure		T\//. 1.0 mc/m2				T\//. 1 ma/2	respirable dust
Silica, amorphous		•	· · ·			TWA: 4 mg/m ³	STEL: 18 mg/m ³
7631-86-9		total aerosol	respirable			inhalable dust,	inhalable dust

	fraction, fume	also STEL: 7.2
		manufactured in mg/m ³ respira
		wet processing dust
		TWA: 6 mg/r
		inhalable du
		TWA: 2.4 mg/
		respirable du

8.2. Exposure controls

8.2.1 Appropriate Engineering Controls

Engineering controls

Ensure adequate ventilation, especially in confined areas Provide local exhaust ventilation In case of insufficient ventilation, wear suitable respiratory equipment Do not breathe dust

8.2.2 Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Wear suitable protective clothing

Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder are avoided

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals

Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed

Gloves should be replaced regularly and if there is any sign of damage to the glove material

Always ensure that gloves are free from defects and that they are stored and used correctly

The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance

Break through time	> 240 minutes Estimated
PPE - Glove material	Glove thickness
Neoprene™	> 0.56 mm
Butyl rubber	> 0.36 mm
Fluoroelastomer	> 0.51 mm
Nitrile rubber	> 0.56 mm
Natural rubber	> 0.48 mm
Polyvinyl chloride (PVC)	> 0.25 mm

Respiratory Protection

In case of inadequate ventilation wear respiratory protection

Thermal Protection

No information available

8.2.3 Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical propertiesPhysical StatePowderAppearanceNo information available

Odour Colour **Odour threshold** PH Melting point/freezing point Boiling point / boiling range Flash Point Method **Evaporation Rate** Flammability (solid, gas) Flammability limit in air Upper flammability limit: Lower flammability limit Vapour pressure Vapour Density Specific gravity Solubility(ies) Partition coefficient **Autoignition Temperature Decomposition temperature** Kinematic viscosity **Dynamic viscosity Explosive Properties Oxidising Properties**

9.2. Other information Molecular Weight Minimum ignition energy (MIE) dust deflagration index (Kst) Minimum Explosive Conc. (g/m³)

Odourless No information available °C / °F 400 °C / 752 °F No information available 1.58 No information available No information available

No information available 3 - 50 mJ (typical range) 100 - 199 bar*m/s (typical range) 20 - 70 (typical range)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions

Explosion Data	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation None under normal processing

Possibility of hazardous reactions None under normal processing

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

Strong oxidising agents Alcohols Amines

10.6. Hazardous decomposition products

Carbon monoxide

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on Likely Routes of Exposure

Eye Contact No information available Skin contact No information available INGESTION No information available INHALATION No information available

Numerical Measures of Toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

UNKNOWN ACUTE TOXICITY .0001% of the mixture consists of ingredient(s) of unknown toxicity.

Numerical Measures of Toxicity - Component Information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Serious eye damage/eye irritation Skin Sensitisation Respiratory Sensitisation Germ Cell Mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)

Aspiration Hazard

No information available No information available

Not applicable

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Environmental Precautions

Prevent product from entering drains

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS				
13.1. Waste treatment methods				
Environmental Precautions	Prevent product from entering drains Keep out of waterways			
Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations			
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal Empty containers must be scrapped or reconditioned			
European Waste Catalogue				
Product	08 02 01			
Packaging	15 01 01 15 01 02 15 01 04 15 01 05 15 01 06			
	Section 14: TRANSPORT INFORMATION			

	IMDG	RID	ADR	IATA	ADN
14.1 UN/ID no	NOT REGULATED				
14.2 Proper Shipping	9				
Name					

14.3 Hazard class
14.4 Packing group
14.5 Environmental hazard
14.6 Special Provisions
14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC CODE

No information available

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112); Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO 3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

National Regulations

Germany Water hazard class (WGK)

TA Luft (German Air Pollution Control Regulation)			
Class 1	Class 2	Class 3	Class 4
0 %	0 %	0 %	0 %
31 . BlmSchV Danish MAL Code		0.02 00 - 1	

1

Inver S.p.A.

Via di Corticella, 205

39 051 6380411

Bologna, BO, Italy 40128

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Inver Polska SP.Z.O.O.

Debica 39-200 Poland

UL. Metalowców 49

+48 14 680 90 20

Supplier Address

Inver UK Ltd. Goodlass Road Liverpool, Merseyside L24 9HJ +44 (0) 151 486 0486

Inver S.p.A. 10/A Via Marconi Minerbio BO 40061 Phone: +39 051 660 6811

Prepared by	Product Stewardship
Revision Date	20-Dec-2019
Revision note	No information available.

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and EU guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet

Inver France S.A.S.

2 Rue Jean Devaux

Phone: +33 5 49 96 025 00

Boîte Postale 88

Thouars 79102