

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date 10-Jan-2022

Version 42

Supersedes Date: 02-Jul-2021

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product code PD911562G
Product name ROSE GOLD POLYESTER GLOSS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Paint, Coatings

1.3. Details of the supplier of the safety data sheet

See section 16 for more information

The Valspar (Switzerland) Corporation AG
European Headquarters
Rosengartenstrasse 25
8608 Bubikon
CH-SWITZERLAND

Only Representative (OR) for imports only:
Valspar B.V.
Zuiveringweg 89
8243 PE Lelystad
The Netherlands
GPSReach@sherwin.com
Member Company of Sherwin Williams

For further information, please contact

E-mail address sdshelpdesk@valspareurope.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number

International +1 703 741 5971	Austria +(43)-13649237	Belgium +(32)-28083237	Bulgaria +(359)-32570104	Croatia +(385)-17776920
Czech Republic +(420)-228880039	Denmark +(45)-69918573	Estonia +(372)-6681294	Finland +(358)-942419014	France +(33)-975181407
Germany 0800-181-7059	Greece +(30)-2111768478	Hungary +(36)-18088425	Ireland +(353)-19014670	Italy 800-789-767
Latvia +(371)-66165504	Lithuania +(370)-52140238	Luxembourg +(352)-20202416	Netherlands +(31)-858880596	Norway +(47)-21930678
Poland +(48)-223988029	Portugal +(351)-308801773	Romania (+40)-37-6300026	Slovakia +(421)-233057972	Slovenia +(386)-18888016
Spain 900-868538	Sweden +(46)-852503403	Switzerland +(41)- 435082011	United Kingdom +(44)-870-8200418	

Poison control centre phone number

Only for the purpose of informing medical personnel in cases of acute intoxication

Belgium +32 70 245 245	Denmark +45 82 12 12 12	France +33 (0) 1454 25959	Finland +358 9 471977	Hungary +36-80-20-11-99
Iceland +354 543 2222	Ireland +353 (0)1 809 2166 (8.00 - 22.00)	Lithuania +370 (85) 2362052	Netherlands +31 (0) 88-755 8000	Norway +47 22 59 13 00
Portugal +(351) 800 250 250	Slovakia +421 2 5477 4166	Spain +3415620420	Sweden +46 8 33 12 31 (M-F 9.00-17.00)	

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic Aquatic Toxicity Category 3 - (H412)

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

EUH210 - Safety data sheet available on request

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

PRECAUTIONARY STATEMENTS - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical name	CAS No	Weight-%	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	Note:
Copper	7440-50-8	5 - < 10	231-159-6	Aquatic Chronic 2 (H411)		-

Full text of H- and EUH-phrases: see section 16

Additional information

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

Get medical advice/attention if you feel unwell

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Skin contact

Rinse skin with water/shower

If skin irritation occurs: Get medical advice/attention

INHALATION

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

INGESTION

Do NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog)
Carbon dioxide (CO₂)
Alcohol resistant foam
Dry chemical

Not to be used for safety reasons:

Inert gas under high pressure (e.g. CO₂), water jet (Do not use if package is open or torn)

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke
Fire may produce irritating and/or toxic gases
In the event of fire and/or explosion do not breathe fumes

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit
Cool containers with flooding quantities of water until well after fire is out
Do not allow run-off from fire-fighting to enter drains or water courses

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition
Do not breathe dust
Use personal protective equipment as required

For emergency responders

Use personal protection recommended in Section 8

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water
If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations
Prevent further leakage or spillage if safe to do so
Local authorities should be advised if significant spillages cannot be contained

6.3. Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so

Methods for Cleaning Up

Dispose of waste product or used containers according to local regulations
Do not use a dry brush as dust clouds or static can be created
Dam up
Pick up and transfer to properly labelled containers
Clean contaminated surface thoroughly
Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

6.4. Reference to other sections

See Section 8 for information on appropriate personal protective equipment
See Section 13 for additional waste treatment information

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Comply with the health and safety at work laws. Prevent product from entering drains. Use only with adequate ventilation.

General hygiene considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorised personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials

Bases, Acids, Alcohols, Amines

7.3. Specific end use(s)

Recommended use Paint Coatings

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

If S* appears in the OEL table, it indicates this chemical contains a skin notation.

Chemical name	European Union	Austria	Belgium	Bulgaria	Czech Republic	Denmark	Estonia
Copper 7440-50-8		STEL 4 mg/m ³ inhalable fraction STEL 0.4 mg/m ³ respirable fraction, smoke TWA: 1 mg/m ³ inhalable fraction TWA: 0.1 mg/m ³ respirable fraction, smoke	TWA: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust and mist	TWA: 0.1 mg/m ³ metal vapor	Ceiling: 2 mg/m ³ dust Ceiling: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust TWA: 0.1 mg/m ³ fume	TWA: 1.0 mg/m ³ dust and powder TWA: 0.1 mg/m ³ fume	TWA: 1 mg/m ³ total dust TWA: 0.2 mg/m ³ respirable dust
Titanium dioxide 13463-67-7		STEL 10 mg/m ³ alveolar dust, respirable fraction TWA: 5 mg/m ³ alveolar dust, respirable fraction	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³ respirable dust		TWA: 6 mg/m ³	TWA: 5 mg/m ³
Aluminum 7429-90-5		STEL 20 mg/m ³ inhalable fraction TWA: 10 mg/m ³ inhalable	TWA: 1 mg/m ³	TWA: 10.0 mg/m ³ metal dust TWA: 1.5 mg/m ³ respirable	TWA: 10.0 mg/m ³ dust	TWA: 5 mg/m ³ dust, fume and powder, total TWA: 2 mg/m ³ dust and	TWA: 10 mg/m ³ total dust TWA: 4 mg/m ³ respirable dust

		fraction		fraction		powder, respirable	
Chemical name	Finland	France	Germany	Greece	Hungary	Iceland	Ireland
Copper 7440-50-8	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ respirable	TWA: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust STEL: 2 mg/m ³ dust	TWA: 0.01 mg/m ³ respirable fraction Ceiling / Peak: 0.02 mg/m ³ respirable fraction	STEL: 2 mg/m ³ dust TWA: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust	STEL: 4 mg/m ³ STEL: 0.4 mg/m ³ fume TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ fume	Ceiling: 2 mg/m ³ total dust and powder Ceiling: 0.2 mg/m ³ respirable dust and fume TWA: 1.0 mg/m ³ total dust and powder TWA: 0.1 mg/m ³ respirable dust and fume	TWA: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust and mist STEL: 0.6 mg/m ³ fume STEL: 2 mg/m ³ dust and mist
Titanium dioxide 13463-67-7		TWA: 10 mg/m ³		TWA: 10 mg/m ³ inhalable fraction TWA: 5 mg/m ³ respirable fraction		Ceiling: 12 mg/m ³ TWA: 6 mg/m ³	TWA: 10 mg/m ³ total inhalable dust TWA: 4 mg/m ³ respirable dust STEL: 30 mg/m ³ total inhalable dust STEL: 12 mg/m ³ respirable dust
Aluminum 7429-90-5	TWA: 1.5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³ dust	TWA: 4 mg/m ³ dust, inhalable fraction TWA: 1.5 mg/m ³ dust, respirable fraction	TWA: 10 mg/m ³ inhalable fraction TWA: 5 mg/m ³ respirable fraction	TWA: 6 mg/m ³ respirable dust	STEL: 5 mg/m ³ dust and powder Ceiling: 20 mg/m ³ dust and powder Ceiling: 4 mg/m ³ TWA: 10 mg/m ³ dust and powder TWA: 2 mg/m ³	TWA: 1 mg/m ³ respirable dust STEL: 3 mg/m ³ respirable dust
Chemical name	Italy	Latvia	Luxembourg	Netherlands	Norway	Poland	Portugal
Copper 7440-50-8		TWA: 0.5 mg/m ³ STEL: 1 mg/m ³		TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust STEL: 0.3 mg/m ³ fume STEL: 2 mg/m ³ dust	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust and mist
Titanium dioxide 13463-67-7		TWA: 10 mg/m ³			TWA: 5 mg/m ³ STEL: 10 mg/m ³	STEL: 30 mg/m ³ TWA: 10.0 mg/m ³ inhalable fraction	TWA: 10 mg/m ³
Aluminum 7429-90-5		TWA: 2 mg/m ³			TWA: 5 mg/m ³ powder STEL: 10 mg/m ³ powder	TWA: 2.5 mg/m ³ inhalable fraction TWA: 1.2 mg/m ³ respirable fraction	TWA: 10 mg/m ³ metal dust
Chemical name	Romania	Slovakia	Slovenia	Spain	Sweden	Switzerland	United Kingdom
Copper 7440-50-8	TWA: 0.5 mg/m ³ powder STEL: 0.2 mg/m ³ fume STEL: 1.5 mg/m ³ dust	Ceiling: 2 mg/m ³ dust Ceiling: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust TWA: 0.1 mg/m ³ fume	TWA: 1 mg/m ³ inhalable fraction TWA: 0.1 mg/m ³ respirable fraction, fume STEL: 4 mg/m ³ inhalable fraction STEL: 0.4 mg/m ³ respirable fraction, fume	TWA: 0.2 mg/m ³ fume TWA: 1 mg/m ³ dust and mist	TLV/LLV: 1 mg/m ³ total dust TLV/LLV: 0.2 mg/m ³ respirable dust	STEL: 0.2 mg/m ³ inhalable dust TWA: 0.1 mg/m ³ inhalable dust	STEL: 0.6 mg/m ³ fume STEL: 2 mg/m ³ dust and mist TWA: 1 mg/m ³ dust and mists TWA: 0.2 mg/m ³ fume
Titanium dioxide	TWA: 10 mg/m ³			TWA: 10 mg/m ³	TLV/LLV: 5	TWA: 3 mg/m ³	STEL: 30 mg/m ³

13463-67-7	STEL: 15 mg/m ³				mg/m ³ total dust	respirable dust	total inhalable STEL: 12 mg/m ³ respirable TWA: 10 mg/m ³ total inhalable TWA: 4 mg/m ³ respirable
Aluminum 7429-90-5	TWA: 3 mg/m ³ dust TWA: 1 mg/m ³ fume STEL: 10 mg/m ³ dust STEL: 3 mg/m ³ fume	TWA: 1.5 mg/m ³ metal TWA: 6 mg/m ³ total aerosol		TWA: 10 mg/m ³ dust	TLV/LLV: 5 mg/m ³ total dust TLV/LLV: 2 mg/m ³ respirable dust	TWA: 3 mg/m ³ respirable dust	STEL: 30 mg/m ³ inhalable dust STEL: 12 mg/m ³ respirable dust TWA: 10 mg/m ³ inhalable dust TWA: 4 mg/m ³ respirable dust

Chemical name	Germany	Spain	Switzerland	United Kingdom
Aluminum 7429-90-5			Aluminum: 60 µg/g creatinine in urine	

Predicted No Effect Concentration (PNEC)

Copper (7440-50-8)

CATEGORY	Predicted No Effect Concentration (PNEC)	UNITS
Fresh Water	0.0078	Mg/l
Marine water	0.0052	Mg/l
Microorganisms in sewage treatment	0.23	Mg/l
Freshwater sediment	0.087	Mg/kg
Marine sediment	0.676	Mg/kg
Soil	0.065	Mg/kg

8.2. Exposure controls

8.2.1 Appropriate Engineering Controls

Engineering controls

- Ensure adequate ventilation, especially in confined areas
- Provide local exhaust ventilation
- In case of insufficient ventilation, wear suitable respiratory equipment
- Do not breathe dust

8.2.2 Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Wear suitable protective clothing
Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder are avoided

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals
Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves
The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed
Gloves should be replaced regularly and if there is any sign of damage to the glove material
Always ensure that gloves are free from defects and that they are stored and used correctly
The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance

Break through time > 240 minutes Estimated

PPE - Glove material **Glove thickness**

Neoprene™ > 0.56 mm
Butyl rubber > 0.36 mm

Fluoroelastomer	> 0.51 mm
Nitrile rubber	> 0.56 mm
Natural rubber	> 0.48 mm
Polyvinyl chloride (PVC)	> 0.25 mm

Respiratory Protection

In case of inadequate ventilation wear respiratory protection

Thermal Protection

No information available

8.2.3 Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water
Local authorities should be advised if significant spillages cannot be contained

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Powder
Appearance	No information available
Odour	Odourless
Colour	No information available
Odour threshold	No information available
PH	No information available
Melting point/freezing point	No information available
Boiling point / boiling range	No information available °C / °F
Flash Point	400 °C / 752 °F
Method	
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability limit in air	
Upper flammability limit:	No information available
Lower flammability limit	No information available
Vapour pressure	No information available
Vapour Density	No information available
Specific gravity	1.35
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition Temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive Properties	No information available
Oxidising Properties	No information available

9.2. Other information

Molecular Weight	No information available
Minimum ignition energy (MIE)	3 - 50 mJ (typical range)
dust deflagration index (Kst)	100 - 199 bar*m/s (typical range)
Minimum Explosive Conc. (g/m ³)	20 - 70 (typical range)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions

Explosion Data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation None under normal processing

Possibility of hazardous reactions None under normal processing

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

Bases
Acids
Alcohols
Amines

10.6. Hazardous decomposition products

Carbon monoxide
Carbon dioxide (CO₂)

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on Likely Routes of Exposure

Eye Contact

No information available

Skin contact

No information available

INGESTION

No information available

INHALATION

No information available

Numerical Measures of Toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

UNKNOWN ACUTE TOXICITY 0% of the mixture consists of ingredient(s) of unknown toxicity.

Numerical Measures of Toxicity - Component Information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	No information available
Serious eye damage/eye irritation	No information available
Skin Sensitisation	No information available
Respiratory Sensitisation	No information available
Germ Cell Mutagenicity	No information available
Carcinogenicity	No information available
Reproductive toxicity	No information available
Specific target organ toxicity (single exposure)	No information available
Specific target organ toxicity (repeated exposure)	No information available
Aspiration Hazard	Not applicable

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Environmental Precautions Prevent product from entering drains

Chemical name	Algae/aquatic plants	Fish	Crustacea
Copper	0.031 - 0.054 mg/L Pseudokirchneriella subcapitata 96 h EC50 0.0426 - 0.0535 mg/L Pseudokirchneriella subcapitata 72 h EC50	= 0.8 mg/L Cyprinus carpio 96h LC50 < 0.3 mg/L Pimephales promelas 96h LC50 0.0068 - 0.0156 mg/L Pimephales promelas 96h LC50 = 0.052 mg/L Oncorhynchus mykiss 96h LC50 = 1.25 mg/L Lepomis macrochirus 96h LC50 = 0.3 mg/L Cyprinus carpio 96h LC50 = 0.112 mg/L Poecilia reticulata 96h LC50 = 0.2 mg/L Pimephales promelas 96h LC50	= 0.03 mg/L Daphnia magna 48h EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Environmental Precautions

Prevent product from entering drains
Keep out of waterways

Waste from Residues/Unused Products

Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal
Empty containers must be scrapped or reconditioned

European Waste Catalogue

Product 08 02 01

Section 14: TRANSPORT INFORMATION

14.1 UN/ID no	<u>IMDG</u> NOT REGULATED	<u>RID</u> NOT REGULATED	<u>ADR</u> NOT REGULATED	<u>IATA</u> NOT REGULATED	<u>ADN</u> NOT REGULATED
14.2 Proper Shipping Name					

14.3 Hazard class

14.4 Packing group

14.5 Environmental hazard

14.6 Special

Provisions

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC CODE No information available

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112); Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO 3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

National Regulations

Chemical name	French RG number	Title	Denmark - List of Undesirable Substances	Netherlands
Copper 7440-50-8	RG 5,RG 14,RG 15,RG 15bis,RG 20bis	<ul style="list-style-type: none"> • Occupational diseases related to contact with phosphorus and phosphorus sesquisulfide • Primitive lung cancer caused by inhaling arsenic fumes or dust • Conditions of allergic mechanism caused by aromatic amines, their salts, derivatives including hydroxyl, halogenated, nitrated, nitrosated derivatives, sulfonated and products that contain free • Diseases caused by aromatic amines, their salts and their derivatives including hydroxyl, halogenated and nitrated, nitrosated derivatives, sulfonated • Diseases caused by nitrates (dinitrophenol, dinitro-orthocresols, dinoseb) phenol, pentachlorophenol, pentachlorophenates and the halogen derivatives of hydroxybenzotrile (bromoxynil, ioxynil) 		

Germany Water hazard class 2 (WGK)

TA Luft (German Air Pollution Control Regulation)

Class 1	Class 2	Class 3	Class 4
0 %	0 %	7.49 %	0 %

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Supplier Address

Sherwin-Williams UK Limited –
General Industrial Division
Goodlass Road
Liverpool, Merseyside L24 9HJ
+44 (0) 151 486 0486

Inver S.p.A.
Via di Corticella, 205
Bologna, BO, Italy 40128
39 051 6380411

Inver Polska SP.Z.O.O.
UL. Metalowców 49
Debica 39-200 Poland
+48 14 680 90 20

Inver France S.A.S.
2 Rue Jean Devaux
Boîte Postale 88
Thouars 79102
Phone: +33 5 49 96 025 00

Inver S.p.A.
10/A Via Marconi
Minerbio BO 40061
Phone: +39 051 660 6811

Full text of H-Statements referred to under sections 2 and 3

H411 - Toxic to aquatic life with long lasting effects

Prepared by	Product Stewardship
Revision Date	10-Jan-2022
Revision note	No information available.

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and EU guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet