Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date 04-May-2022 Version 19 Supercedes Date: 02-Feb-2022

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product code 30896

Product name BOND PE/UM BEIGE C32

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Paint, Coatings

1.3. Details of the supplier of the safety data sheet

See section 16 for more information

The Valspar (Switzerland) Corporation AG European Headquarters

Rosengartenstrasse 25 8608 Bubikon CH-SWITZERLAND Only Representative (OR) for imports only:

Valspar B.V. Zuiveringweg 89 8243 PE Lelystad The Netherlands

GPSReach@sherwin.com

Member Company of Sherwin Williams

For further information, please contact

E-mail address sdshelpdesk@valspareurope.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number

27 Hour Emergency	i ilone italinei			
International	Austria	Belgium	Bulgaria	Croatia
+1 703 741 5971	+(43)-13649237	+(32)-28083237	+(359)-32570104	+(385)-17776920
Czech Republic	Denmark	Estonia +(372)-6681294	Finland	France
+(420)-228880039	+(45)-69918573		+(358)-942419014	+(33)-975181407
Germany 0800-181-7059	Greece	Hungary	Ireland	Italy
	+(30)-2111768478	+(36)-18088425	+(353)-19014670	800-789-767
Latvia +(371)-66165504	Lithuania	Luxembourg	Netherlands	Norway
	+(370)-52140238	+(352)-20202416	+(31)-858880596	+(47)-21930678
Poland	Portugal +(351)-308801773	Romania	Slovakia	Slovenia
+(48)-223988029		(+40)-37-6300026	+(421)-233057972	+(386)-18888016
Spain	Sweden	Switzerland	United Kingdom	
900-868538	+(46)-852503403	+(41)- 435082011	+(44)-870-8200418	

Poison control centre phone number

Only for the purpose of informing medical personnel in cases of acute intoxication

Belgium	Denmark	France	Finland	Hungary
+32 70 245 245	+45 82 12 12 12	+33 (0) 1454 25959	+358 9 471977	+36-80-20-11-99
lceland +354 543 2222	Ireland +353 (0)1 809 2166 (8.00 - 22.00)	Lithuania +370 (85) 2362052	Netherlands +31 (0) 88-755 8000	Norway +47 22 59 13 00
Portugal +(351) 800 250 250	Slovakia +421 2 5477 4166	Spain +3415620420	Sweden +46 8 33 12 31 (M-F 9.00-17.00)	

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

EUH210 - Safety data sheet available on request

PRECAUTIONARY STATEMENTS - EU (§28, 1272/2008)

P202 - Do not handle until all safety precautions have been read and understood

P233 - Keep container tightly closed

P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Full text of H- and EUH-phrases: see section 16

Additional information

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

Get medical advice/attention if you feel unwell

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

If eye irritation persists: Get medical advice/attention

Skin contact

Rinse skin with water/shower

If skin irritation occurs: Get medical advice/attention

INHALATION

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

INGESTION

Do NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog) Carbon dioxide (CO2) Alcohol resistant foam Dry chemical

Not to be used for safety reasons:

Inert gas under high pressure (e.g. CO2), water jet (Do not use if package is open or torn)

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke
Fire may produce irritating and/or toxic gases
In the event of fire and/or explosion do not breathe fumes

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit Cool containers with flooding quantities of water until well after fire is out Do not allow run-off from fire-fighting to enter drains or water courses

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition Do not breathe dust Use personal protective equipment as required Keep people away from and upwind of spill/leak Avoid contact with skin, eyes or clothing

For emergency responders

Use personal protection recommended in Section 8

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water
If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations

6.3. Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so

Methods for Cleaning Up

Dispose of waste product or used containers according to local regulations

Do not use a dry brush as dust clouds or static can be created

Pick up and transfer to properly labelled containers

Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

6.4. Reference to other sections

See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Comply with the health and safety at work laws. Prevent product from entering drains. Do not breathe dust/fume/gas/mist/vapours/spray.

General hygiene considerations

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Paint Coatings

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorised personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Incompatible materials

Strong oxidising agents

7.3. Specific end use(s)

Recommended use

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European	Austria	Belgium	Bulgaria	Czech Republic	Denmark	Estonia
	Union						
Titanium dioxide		STEL 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0		TWA: 6 mg/m ³	TWA: 5 mg/m ³
13463-67-7		alveolar dust,		mg/m³ respirable		_	
		respirable		dust			
		fraction					
		TWA: 5 mg/m ³					
		alveolar dust,					
		respirable					
		fraction					
Mica		TWA: 10 mg/m ³	TWA: 3 mg/m ³	TWA: 3.0 mg/m ³	TWA: 2.0 mg/m ³		
12001-26-2		inhalable		respirable			
		fraction		fraction			
				TWA: 6.0 mg/m ³			
				inhalable			
				fraction			
Silica, amorphous,		TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0	TWA: 0.1 mg/m ³		TWA: 2 mg/m ³
precipitated and gel		inhalable		mg/m³ inhalable	respirable		respirable dust
112926-00-8		fraction		fraction	fraction		
					TWA: 4.0 mg/m ³		

Chemical name	Finland	France	Germany	Greece	Hungary	Iceland	Ireland
Titanium dioxide		TWA: 10 mg/m ³		TWA: 10 mg/m ³		Ceiling: 12	TWA: 10 mg/m ³
13463-67-7				inhalable		mg/m³	total inhalable
				fraction		TWA: 6 mg/m ³	dust
				TWA: 5 mg/m ³			TWA: 4 mg/m ³
				respirable			respirable dust
				fraction			STEL: 30 mg/m ³
							total inhalable
							dust
							STEL: 12 mg/m ³
							respirable dust
Mica					·		TWA: 10 mg/m ³
12001-26-2							total inhalable
							dust

					TWA: 0.8 mg/m³ respirable dust STEL: 30 mg/m³ total inhalable dust STEL: 2.4 mg/m³ respirable dust
Silica, amorphous, precipitated and gel	TWA: 5 mg/m ³	TWA: 4 mg/m ³ inhalable		Ceiling: 4 mg/m³ ultrafine spray	TWA: 6 mg/m ³ total inhalable
112926-00-8		fraction		TWA: 2 mg/m ³	dust
				ultrafine spray	TWA: 2.4 mg/m ³ respirable dust
					STEL: 18 mg/m ³
					total inhalable
					dust STEL: 7.2
					mg/m³ respirable
					dust

Chemical name	Italy	Latvia	Luxembourg	Netherlands	Norway	Poland	Portugal
Titanium dioxide		TWA: 10 mg/m ³			TWA: 5 mg/m ³	STEL: 30 mg/m ³	TWA: 10 mg/m ³
13463-67-7					STEL: 10 mg/m ³	TWA: 10.0	
						mg/m³ inhalable	
						fraction	
Mica					TWA: 6 mg/m ³		TWA: 3 mg/m ³
12001-26-2					total dust		respirable
					TWA: 3 mg/m ³		fraction
					respirable dust		
					STEL: 12 mg/m ³		
					total dust		
					STEL: 6 mg/m ³		
					respirable dust		
Silica, amorphous,		TWA: 1 mg/m ³			TWA: 1.5 mg/m ³	TWA: 10.0	
precipitated and gel					respirable dust	mg/m³ inhalable	
112926-00-8					STEL: 1.5	fraction	
					mg/m³ respirable	TWA: 2 mg/m ³	
					dust	respirable	
						fraction	

Chemical name	Romania	Slovakia	Slovenia	Spain	Sweden	Switzerland	United
							Kingdom
Titanium dioxide	TWA: 10 mg/m ³			TWA: 10 mg/m ³	TLV/LLV: 5	TWA: 3 mg/m ³	STEL: 30 mg/m ³
13463-67-7	STEL: 15 mg/m ³				mg/m³ total dust	respirable dust	total inhalable
							STEL: 12 mg/m ³
							respirable
							TWA: 10 mg/m ³
							total inhalable
							TWA: 4 mg/m ³
							respirable
Mica	TWA: 3 mg/m ³	TWA: 2 mg/m ³		TWA: 3 mg/m ³		TWA: 3 mg/m ³	STEL: 30 mg/m ³
12001-26-2	dust, inhalable	respirable		respirable		respirable dust	total inhalable
	fraction	fraction, 5% or		fraction			STEL: 2.4
		less fibrogenic					mg/m³ respirable
		component					TWA: 10 mg/m ³
		TWA: 10 mg/m ³					total inhalable
		respirable					TWA: 0.8 mg/m ³
		fraction, greater					respirable
		than 5%					
		fibrogenic					
		component					
		TWA: 10 mg/m ³					
		total aerosol					
Silica, amorphous,		TWA: 4.0 mg/m ³	TWA: 0.3 mg/m ³			TWA: 4 mg/m ³	STEL: 18 mg/m ³
precipitated and gel		total aerosol	respirable			inhalable dust	inhalable dust
112926-00-8			fraction, fume				STEL: 7.2
							mg/m³ respirable
							dust
							TWA: 6 mg/m ³
							inhalable dust
							TWA: 2.4 mg/m ³
							respirable dust

8.2. Exposure controls

8.2.1 Appropriate Engineering Controls

Engineering controls

Ensure adequate ventilation, especially in confined areas

Provide local exhaust ventilation

In case of insufficient ventilation, wear suitable respiratory equipment

Do not breathe dust

8.2.2 Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Wear suitable protective clothing

Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder are avoided

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals

Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed

Gloves should be replaced regularly and if there is any sign of damage to the glove material

Always ensure that gloves are free from defects and that they are stored and used correctly

The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance Wear protective gloves

Break through time > 240 minutes Estimated

Dieak uiiougii uiile	> 240 minutes Estimated	
PPE - Glove material	Glove thickness	٦
Neoprene™	> 0.56 mm	-
Butyl rubber	> 0.36 mm	-
Fluoroelastomer	> 0.51 mm	
Nitrile rubber	> 0.56 mm	-
Natural rubber	> 0.48 mm	
Polyvinyl chloride (PVC)	> 0.25 mm	

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Thermal Protection

No information available

8.2.3 Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Powder

Appearance No information available

Odour Odourless
Colour Metallic

Odour threshold
PH
No information available
No information available
No information available
No information available

Boiling point / boiling range No information available °C / °F

Flash Point 400 °C / 752 °F

Method

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability limit in air

Upper flammability limit:
Lower flammability limit

Vapour pressure
Vapour Density

No information available
No information available
No information available

Specific gravity 1.3

Solubility(ies) No information available **Partition coefficient** No information available **Autoignition Temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive Properties** No information available **Oxidising Properties** No information available

9.2. Other information

Molecular Weight No information available Minimum ignition energy (MIE) 3 - 50 mJ (typical range)

dust deflagration index (Kst) 100 - 199 bar*m/s (typical range)

Minimum Explosive Conc. (g/m³) 20 - 70 (typical range)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation None under normal processing

Possibility of hazardous reactions None under normal processing

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

Strong oxidising agents

10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on Likely Routes of Exposure

Eye Contact

No information available

Skin contact

No information available

INGESTION

No information available

INHALATION

No information available

Numerical Measures of Toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

UNKNOWN ACUTE TOXICITY .0002% of the mixture consists of ingredient(s) of unknown toxicity.

Numerical Measures of Toxicity - Component Information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Skin Corrosion/Irritation Serious eye damage/eye irritation No information available **Skin Sensitisation** No information available **Respiratory Sensitisation** No information available No information available **Germ Cell Mutagenicity** Carcinogenicity No information available Reproductive toxicity No information available Specific target organ toxicity (single exposure) No information available No information available Specific target organ toxicity (repeated exposure)

Aspiration Hazard Not applicable

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Environmental Precautions Prevent product from entering drains

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Environmental Precautions Prevent product from entering drains

Keep out of waterways

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal

Empty containers must be scrapped or reconditioned

European Waste Catalogue

Product 08 02 01

Packaging 15 01 01

Section 14: TRANSPORT INFORMATION

IMDG RID ADR IATA ADN

14.1 UN/ID no NOT REGULATED NOT REGULATED NOT REGULATED NOT REGULATED NOT REGULATED

14.2 Proper Shipping

Name

14.3 Hazard class

14.4 Packing group

14.5 Environmental hazard

14.6 Special

Provisions

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC CODE

No information available

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112); Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO 3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

National Regulations

Germany Water hazard class 1 (WGK)

TA Luft (German Air Pollution Control Regulation)

Class 1 Class 2 Class 3 Class 4 0 % 3 % 0 %

U

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Supplier Address

Sherwin-Williams UK Limited – General Industrial Division Goodlass Road Liverpool, Merseyside L24 9HJ +44 (0) 151 486 0486 Inver S.p.A. Via di Corticella, 205 Bologna, BO, Italy 40128 39 051 6380411 Inver Polska SP.Z.O.O. UL. Metalowców 49 Debica 39-200 Poland +48 14 680 90 20 Inver France S.A.S. 2 Rue Jean Devaux Boîte Postale 88 Thouars 79102 Phone: +33 5 49 96 025 00

i nono. .

Inver S.p.A. 10/A Via Marconi Minerbio BO 40061 Phone: +39 051 660 6811

Prepared by Product Stewardship

Revision Date 04-May-2022

Revision note No information available.

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and EU guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet

Product code 30896 PAGE 10 / 10 EGHS - EU CLP/GHS SDS